

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO | | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. | |
|-----------------------|------|-------------------------|----------------------|-------------------------|------------------|--|
| 10/659,543 | | 09/09/2003 | Jung Chieh Lai | | 3067 | |
| 25859 | 7590 | 03/18/2004 | | EXAM | EXAMINER | |
| WEI TE C | | | GILMAN, ALEXANDER | | | |
| FOXCONN 1650 MEM | | NATIONAL, INC. PRIVE | ART UNIT | PAPER NUMBER | | |
| SANTA CLARA, CA 95050 | | | | 2833 | | |
| | | | | DATE MAIL ED: 02/19/200 | 4 | |

Please find below and/or attached an Office communication concerning this application or proceeding.

| | | • | | w | | | |
|---|--|---|---|--------------|--|--|--|
| | | Application No. | Applicant(s) | | | | |
| | | 10/659,543 | LAI ET AL. | | | | |
| | Office Action Summary | Examiner | Art Unit | | | | |
| | | Alexander D Gilman | 2833 | | | | |
| Period fo | The MAILING DATE of this communic | ation appears on the cover sheet with | h the correspondence add | ress | | | |
| | ORTENED STATUTORY PERIOD FO | D DEDI VIC SET TO EVDIDE 2 MC | NITH(C) EDOM | | | | |
| THE - External after - If the - If NC - Failu Any | MAILING DATE OF THIS COMMUNIC nsions of time may be available under the provisions of SIX (6) MONTHS from the mailing date of this commu period for reply specified above is less than thirty (30) period for reply is specified above, the maximum stature to reply within the set or extended period for reply wereply received by the Office later than three months after the patent term adjustment. See 37 CFR 1.704(b). | CATION. f 37 CFR 1.136(a). In no event, however, may a reprincation. days, a reply within the statutory minimum of thirty atory period will apply and will expire SIX (6) MONT ill, by statute, cause the application to become ABA | ply be timely filed (30) days will be considered timely. HS from the mailing date of this con | nmunication. | | | |
| Status | | | | | | | |
| 1) 🖂 | Responsive to communication(s) filed | on 09 September 2003. | | | | | |
| | • | o)⊠ This action is non-final. | | | | | |
| 3)□ | Since this application is in condition for allowance except for formal matters, prosecution as to the merits is | | | | | | |
| | closed in accordance with the practice | e under <i>Ex parte Quayle</i> , 1935 C.D. | 11, 453 O.G. 213. | | | | |
| Dispositi | ion of Claims | | | | | | |
| 4)⊠ | Claim(s) 1-10 is/are pending in the ap | pplication. | | | | | |
| - | 4a) Of the above claim(s) is/are | | | | | | |
| 5) | Claim(s) is/are allowed. | | | | | | |
| 6)⊠ | Claim(s) 1-10 is/are rejected. | | | | | | |
| = | Claim(s) is/are objected to. | | | | | | |
| 8)□ | Claim(s) are subject to restricti | on and/or election requirement. | | | | | |
| Applicati | ion Papers | | | | | | |
| 9) 🗌 | The specification is objected to by the | Examiner. | | | | | |
| 10) | The drawing(s) filed on is/are: | a)⊡ accepted or b)⊡ objected to b | y the Examiner. | | | | |
| | Applicant may not request that any object | ion to the drawing(s) be held in abeyand | e. See 37 CFR 1.85(a). | | | | |
| | Replacement drawing sheet(s) including t | he correction is required if the drawing(s | s) is objected to. See 37 CFF | ₹ 1.121(d). | | | |
| 11) | The oath or declaration is objected to | by the Examiner. Note the attached | Office Action or form PTC | D-152. | | | |
| Priority ι | under 35 U.S.C. § 119 | | | | | | |
| 12)🛛 | Acknowledgment is made of a claim for | or foreign priority under 35 U.S.C. § | 119(a)-(d) or (f). | | | | |
| a) | ⊠ All b) ☐ Some * c) ☐ None of: | | | | | | |
| | 1.⊠ Certified copies of the priority d | | | | | | |
| | 2. Certified copies of the priority d | • | · —— | | | | |
| | 3. Copies of the certified copies of | | eceived in this National S | tage | | | |
| | application from the Internation | , | | | | | |
| * 5 | See the attached detailed Office action | for a list of the certified copies not re | eceived. | | | | |
| | | | | | | | |
| Attachmen | , , | " | (075 | | | | |
| | e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PT | | ımmary (PTO-413) /Mail Date | | | | |
| 3) 🛛 Inforr | mation Disclosure Statement(s) (PTO-1449 or P | TO/SB/08) 5) 🔲 Notice of Inf | ormal Patent Application (PTO- | 152) | | | |
| | r No(s)/Mail Date <u>09/09/2003</u> . ^ ` | 6) Other: | <u> -</u> | | | | |

Application/Control Number: 10/659,543 Page 2

Art Unit: 2833

each other...

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 1. Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by Ishida et al.

 With regard to claim 1 Ishida et al (US 6,176,714) disclose an electronic card connector adapted for being mounted onto a printed circuit board comprising (col. 1, lines 6-11):

 a terminal module comprising a dielectric housing and a plurality of terminals retained in the dielectric housing, each terminal comprising a contact portion adapted for electrically connecting with an electronic card and a mounting portion adapted for electrically connecting with the pdnted circuit board;

 a card ejection mechanism (Fig. 8) being located at a side of the terminal module and comprising a push rod (55) and a button (57), the push rod comprising one of a receiving space (55b) and a locking portion , the button comprising another of the receiving space and the locking portion locking with
- 2. Claims 1, 2, 7-10 are rejected under 35 U.S.C. 102(e) as being anticipated by Yu

Application/Control Number: 10/659,543 Page 3

Art Unit: 2833

The applied reference has a common assignee with the instant application. Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 102(e) might be overcome either by a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not the invention "by another," or by an appropriate showing under 37 CFR 1.131.

With regard to claims 1, 2 Yu et al (US 6,406,311) disclose (Fig. 1) an electronic card connector adapted

for being mounted onto a printed circuit board comprising:

a terminal module (50) comprising a dielectric housing and a plurality of terminals

retained in the dielectric housing, each terminal comprising a contact portion

adapted for electrically connecting with an electronic card and a mounting

portion adapted for electrically connecting with the printed circuit board;

a card ejection mechanism (Fig. 1) being located at a side of the terminal module and

comprising a push rod (122) and a button (121), the push rod comprising a locking portion (1222), the

button comprising the receiving space (1214)

and the locking portion, the receiving space and the locking portion locking with each other.

With regard to claim 7 Yu et al disclose a shield (52) attached to the terminal module.

With regard to claim 8 Yu et al disclose that the card ejection mechanism comprises an operate portion

disposed at a side of the shield,

and wherein the operate portion comprises the push (122) and the button (121).

With regard to claim 9 Yu et al disclose (Fig. 1) that the card ejection mechanism (2) comprises a guide

attached to the push rod, a swing arm pivotably disposed in the shield and a slide plate coupled with the

swing arm.

With regard to claim 10, Yu et al disclose the structure which operates according to steps claimed.

Art Unit: 2833

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 1. Claims 1, 7-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hara in view of Ishida et al

With regard to claim 1, Hara (US 6,071,149) disclose (Fig. 1) an electronic card connector adapted for being mounted onto a printed circuit board comprising :

a terminal module (2) comprising a dielectric housing and a plurality of terminals retained in the dielectric housing, each terminal comprising a contact portion adapted for electrically connecting with an electronic card and a mounting portion adapted for electrically connecting with the printed circuit board; a card ejection mechanism (3) being located at a side of the terminal module and comprising a push rod (312) and a button (311),

Hara does not disclose that the push rod comprising a locking portion , the button comprising the receiving space .

and the locking portion, the receiving space and the locking portion locking with each other.

Ishida et al disclose that the push rod comprising the receiving space (55a), the button comprising a locking portion (57a) and the locking portion, the receiving space and the locking portion locking with each other.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the Hara with the locking mechanism, as taught by Ishida et al, to dependably fix the card in the connector

With regard to claim 7 Hara when modified by Ishida et al disclose (Hara) a shield (1) attached to the terminal module.

Art Unit: 2833

With regard to claim 8 Hara when modified by Ishida et al disclose (Hara) that the card ejection

mechanism comprises an operate portion (3) disposed at a side of the shield,

and wherein the operate portion comprises the push (122) and the button (121).

With regard to claim 9 Hara when modified by Ishida et al disclose (Hara) that the card ejection mechanism (3) comprises a guide attached to the push rod (312), a swing arm (32) pivotably disposed in the shield and a slide plate (33) coupled with the swing arm.

With regard to claim 10, Hara when modified by Ishida et al disclose the structure which operates according to steps claimed.

2. Claims 3-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ishida et al in view of Pon et al.

With regard to claims 3-5, Ishida et al do not specifically disclose that the locking portion comprises a resilient portion, defining a slit, and a hook, defining lead-in, formed on the resilient portion, and wherein the receiving space comprises a cavity receiving the resilient portion and a recess communicating with the cavity and receiving the hook.

Pon et al (US 6,305,964) disclose that the locking portion comprises a resilient portion, defining a slit (104), and a hook (105), defining lead-in, formed on the resilient portion, and wherein the receiving space comprises a cavity (130) receiving the resilient portion and a recess communicating with the cavity and receiving the hook.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the Ishida et al with the resilient mechanism, as taught by Pon et al , to dependably lock and easy unlock the button

With regard to claim 6, Ishida when modified by Pon et al disclose (Ishida et all) the locking portion is formed with a projection (Fig. 8a), and wherein the cavity comprises a cutout (a cutout at the edge of 55) receiving the projection.

Application/Control Number: 10/659,543 Page 6

Art Unit: 2833

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alexander D Gilman whose telephone number is 571 272-2004. The examiner can normally be reached on Monday-Friday, 10:30 a.m. - 8:00 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Paula A. Bradley can be reached on 571 272-2800 ext. 33. The fax phone number for the organization

where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

03/03/2004

ALEXANDER GILMAN PRIMARY EXAMINER

lles Gilman